

JAN 28 2009

Attorney Docket No. P19317-US2  
Customer Number 27045

**AMENDMENTS TO THE CLAIMS**

This listing of claims replaces all prior versions and listings of claims in the application:

**Listing of Claims**

1. (Currently Amended) A method of access control for a movable network managed by a mobile router, wherein said mobile router is interconnected through a bi-directional link with a mobility anchoring agent that anchors the network mobility for the mobile router, said method comprising the steps of:  
    [[-]] exercising access control at the mobility anchoring agent to filter downlink packets to said mobile router; and  
    [[-]] exercising access control at said mobile router to filter uplink packets to said mobility anchoring agent.
2. (Original) The method of claim 1, wherein said mobility anchoring agent is a home agent in a home network of said mobile router.
3. (Original) The method of claim 1, wherein said mobility anchoring agent is a local forwarding agent in a visited network.
4. (Original) The method of claim 1, wherein said mobility anchoring agent runs a NEMO-based (Network Mobility) mobility support protocol with said mobile router.
5. (Original) The method of claim 4, wherein said mobile router is interconnected with said mobility anchoring agent through a NEMO bi-directional tunnel, and downlink packets are filtered before said NEMO bi-directional tunnel, and uplink packets are filtered before said NEMO bi-directional tunnel.

Attorney Docket No. P19317-US2  
Customer Number 27045

6. (Original) The method of claim 1, wherein said step of exercising access control at the mobility anchoring agent involves checking headers of IP packets that traverse an access control point in said mobility anchoring agent, and said step of exercising access control at said mobile router involves checking headers of IP packets that traverse an access control point in said mobile router.

7. (Original) The method of claim 1, further comprising the step provisioning an access control module at said mobility anchoring agent and an access control module at said mobile router with provisioning information from an access control source.

8. (Currently Amended) The method of claim 7, wherein said provisioning step comprises the steps of:

[[ - ]] transferring provisioning information for the access control modules in both said mobility anchoring agent and said mobile router from said access control source to said mobility anchoring agent; and

[[ - ]] subsequently forwarding provisioning information for the access control module in said mobile router from said mobility anchoring agent to said mobile router over the bi-directional link.

9. (Original) The method of claim 8, wherein said provisioning information for the access control module in said mobile router includes provisioning information related only to the uplink from said mobile router to said mobility anchoring agent.

10. (Canceled)

11. (Previously Presented) The method of claim 7, wherein said access control source is implemented in an Authentication, Authorization and Accounting (AAA) client, and provisioning information related to a node in said movable network is transferred from an AAA server associated with the home network of said node to said AAA client and the access control source.

Amendment - PAGE 3 of 9  
EUS/GJ/P/09-9026

Attorney Docket No. P19317-US2  
Customer Number 27045

12-15. (Canceled)

16. (Currently Amended) An arrangement for access control for a movable network managed by a mobile router, wherein said mobile router is interconnected through a bi-directional link with a mobility anchoring agent that anchors the network mobility for the mobile router, said arrangement comprising:

[[ - ]] means for exercising access control at the mobility anchoring agent to filter downlink packets to said mobile router; and

[[ - ]] means for exercising access control at said mobile router to filter uplink packets to said mobility anchoring agent.

17-18. (Canceled)

19. (Original) The arrangement of claim 16, wherein said mobile router and said mobility anchoring agent are configured to run a NEMO-based (Network Mobility) mobility support protocol.

20. (Original) The arrangement of claim 19, wherein said mobile router is interconnected with said mobility anchoring agent through a NEMO bi-directional tunnel, and said access control exercising means at said mobility anchoring agent is operable for filtering said downlink packets before said NEMO bi-directional tunnel, and said access control exercising means at said mobile router is operable for filtering said uplink packets before said NEMO bi-directional tunnel.

21-30. (Canceled)

Attorney Docket No. P19317-US2  
Customer Number 27045

31. (Currently Amended) A mobility anchoring agent for anchoring network mobility for a mobile router that manages a movable network, wherein said mobility anchoring agent comprises:

[[ - ]] means for interconnection with said mobile router through a bi-directional link; and

[[ - ]] means for exercising access control to monitor and filter downlink packets to said mobile router.

32. (Original) The mobility anchoring agent of claim 31, wherein said mobility anchoring agent is configured to run a NEMO-based (Network Mobility) mobility support protocol with said mobile router.

33. (Original) The mobility anchoring agent of claim 31, wherein said mobility anchoring agent is configured for interconnection with said mobile router through a NEMO bi-directional tunnel, and said means for exercising access control is operable for filtering said downlink packets before said NEMO bi-directional tunnel.

34. (Original) The mobility anchoring agent of claim 31, wherein said means for exercising access control is operable for checking headers of packets that traverse an access control point in said mobility anchoring agent.

35. (Currently Amended) The mobility anchoring agent of claim 31, further comprising:

[[ - ]] means for receiving provisioning information for access control at both said mobility anchoring agent and said mobile router from an access control source;

[[ - ]] means for forwarding provisioning information for access control at said mobile router to said mobile router.

36. (Original) The mobility anchoring agent of claim 35, wherein said provisioning information for access control at said mobile router includes information related only to the uplink from said mobile router to said mobility anchoring agent.

Amendment - PAGE 5 of 9  
EUS/GJI/P/09-9026

Attorney Docket No. P19317-US2  
Customer Number 27045

37. (Canceled)

38. (Original) An access control enforcement module for operation with a mobility anchoring agent that anchors network mobility for a mobile router managing a movable network, said mobile router being interconnected through a bi-directional link with said mobility anchoring agent, wherein said access control enforcement module is operable for exercising access control to monitor and filter downlink packets to said mobile router.